

# Pro Range

## Professional Cleaning Chemicals for Commercial Applications



The Industroclean Pro Range features an array of high quality chemicals designed for professional cleaning applications. The range includes specialised products for floor and surface cleaning in commercial buildings, health care, industry, education and retail facilities.

**t** + 27 (0)11 801 4600  
**@** [info@industroclean.co.za](mailto:info@industroclean.co.za)  
**w** [www.industroclean.co.za](http://www.industroclean.co.za)

industro<sup>®</sup>  
clean

# INDUSTRIAL AND BASIC CLEANERS

## Product

## Description and uses

## Available Quantities

## Notes

### Proflex



Highly effective industrial/universal cleaner. Slightly foaming and light alkaline. Dissolves all fatty and oily soiling as well as wax films after a short acting time.

Cleans not only floors but all washable and alkali-resistant surfaces such as walls, doors, window frames, plastic surfaces, aluminium, synthetic fabrics, etc. It is a product for most applications.

5 l container- P02195  
20 l container- P02190  
100 ml (10) - P02197



For linoleum use up to 500 ml to 10 l water

### Proscrub xp



Powerful alkaline cleaning agent for the machine cleaning of floor coverings. Low foaming and not perfumed. Easily removes adhering fatty soiling (especially animal and vegetable origins).

For all alkali resistant floor coverings in food industry, kitchens, etc. Also suitable for the basic cleaning of stoneware tiles.

5 l container- P02305



Not suitable for alkali-sensitive surfaces such as linoleum, aluminium, etc.

### Prolex



Highly effective universal cleaner with little odour. Free from solvents and corrosive substances. Specially suitable for the foodstuffs sector.

For the removal of vegetable and animal oils and fats as well as other soiling. For the cleaning of floor coverings, objects and installations in kitchens, restaurants and other food processing areas, also in industrial and production installations.

5 l container- P02235  
20 l container- P02230

**SANS 1828**



### Prostrip



Concentrated, slightly foaming basic cleaner. It easily removes polymer and wax coatings as well as soiling of all kinds.

For the basic cleaning of water and alkali resistant floor coverings using automatic scrubber-driers, single brush machines or wet mopping equipment.

5 l container- P02205  
20 l container- P02200



Not suitable for the basic cleaning of linoleum.

### Prosolve



Alkaline, highly foaming and non-corrosive industrial and basic cleaner.











For removing oil, grease and industrial soiling as well as wax and polymer films (e.g. Proflor H) on all water and alkali resistant surfaces.

5 l container- P02225  
20 l container- P02220  
100 ml (10) - P02227  
50 ml (10) - P02232






Not suitable for use in automatic scrubber-driers.

# SANITARY CLEANERS

Product	Description and uses	Available Quantities	Notes
<b>Procal</b> 	<p>Viscous acidic toilet bowl cleaner for the removal of limescale and urinary stains. Deodorising and bactericide.</p> <p>For cleaning toilet bowls and other sanitary facilities. When used regularly, prevents the building of limescale and urinary stains.</p>	<p>5 l container- P03405                      20 l container- P03400                      100 ml (10) - P03408</p> <p><b>SANS 1853</b></p>	 Not suitable for limestone and enamel.
<b>Procal xp</b> 	<p>Acidic sanitary cleaner with water repellent effect leaving a nice gloss when dried up. Removes limescale, grease, dirt and lime soap after a short acting time. Free of hydrochloric acid.</p> <p>For the deliming and cleaning of acid-resistant ceramic tiles, sanitary porcelain, fittings, appliances, etc. in indoor and outdoor swimming pools, showers, bathrooms and toilets.</p>	<p>5 l container- P03305</p>	 Non acid resistant concealed joints have to be soaked with clear water prior to cleaning. Not suitable for limestone. Be careful with enamel.
<b>Procal hd</b> 	<p>Sanitary basic and maintenance cleaner for the cleaning and deodorizing of acid resistant surfaces. Prevents limescale build-up when used regularly.</p> <p>For basic maintenance cleaning, deodorizing and deliming of acid resistant ceramic tiles, sanitary porcelain, fittings, appliances etc. in bathrooms, showers, toilets, swimming pools etc. Also suitable for deliming of kitchen appliances.</p>	<p>5 l container- P03315</p>	 Non acid resistant concealed joints have to be soaked with clear water prior to cleaning. Not suitable for limestone. Be careful with enamel.
<b>Prosan xp</b> 	<p>Sanitary all-purpose cleaner with a pleasant long-lasting fragrance. Prevents limescale build-up when used regularly and leaves behind a shiny streak-free gloss.</p> <p>Kind to skin and not corrosive. For a fast and thorough cleaning of all washable surfaces and fittings made of stainless steel, plastic, porcelain, ceramic, enamel, glass, etc. in bath, shower, wash and restrooms. door and outdoor swimming pools, showers, bathrooms and toilets.</p>	<p>5 l container- P03135                      20 l container- P03130                      100 ml (10) - P03137                      50 ml (10) - P03141</p>	 Non acid resistant concealed joints have to be soaked with clear water prior to cleaning. Not suitable for limestone. Be careful with enamel.
<b>Probio</b> 	<p>Biological double action cleaner deodoriser.</p> <p>For the cleaning /odour control in sanitary areas, toilets, urinals, and odour control in carpets, motor vehicles, refrigerators, etc</p>	<p>5 l container- P03335                      20 l container- P03330                      100 ml (10) - P03337</p>	 Do not mix with disinfectants

# DISINFECTION CLEANERS

Product	Description and uses	Available Quantities	Notes
<b>Prodis-Q</b> 	<p>Disinfectant cleaner based on quaternary ammonium compounds. Very kind to skin and materials, with a weak odour. Recommended for use in the food sector. Free of aldehydes.</p> <p>For cleaning and disinfection of all water-resistant surfaces and appliances in hospitals, homes, food industry, large scale kitchens, indoor swimming pools, showers, saunas, etc. Not recommended for use on treated floors.</p>	<p>5 l container- P06305                      20 l container- P06300  <b>SANS 1853</b></p>	 <p>Do not mix with detergents.</p>
<b>Prodis xp</b> 	<p>Disinfectant cleaner with a wide activity based on glutaraldehyde, quaternary ammonium compounds and detergents.</p> <p>For the disinfection of all water-resistant surfaces and appliances in hospitals, homes, clinics, swimming pools, etc.</p>	<p>5 l container- P06105</p>	 <p>Do not mix with detergents.</p>
<b>Prosan-Q</b> 	<p>Disinfectant cleaner based on quaternary ammonium compounds. Very kind to skin and materials, lightly fragranced. Free of aldehydes.</p> <p>For cleaning and disinfection of all water-resistant surfaces, treated surfaces, in hospitals, homes, indoor swimming pools, showers, saunas, etc.</p>	<p>5 l container- P03105                      20 l container- P03100                      100 ml (10) - P03097                      50 ml (10) - P03103</p>	 <p>Do not mix with detergents.</p>
<b>Sintol Sachets</b> 	<p>Disinfectant cleaner powder based on organic chlorine and detergent compounds.</p> <p>For cleaning and disinfection of all water-resistant surfaces, treated surfaces, in hospitals, homes, indoor swimming pools, showers, saunas, etc.</p>	<p>30g (50) - 06600                      6g (100) - 06610</p>	 <p>Do not mix with detergents.</p>

# ALL-PURPOSE CLEANERS

## Product

## Description and uses

## Available Quantities

## Notes

### Progen



Foaming all-purpose cleaner based on cleaning alcohol and surfactants. Dries quickly and free of streaks and water marks. Enables a gentle and efficient cleaning of all water resistant surfaces. Lightly perfumed.

For the manual maintenance cleaning of all surfaces such as plastic, glass, ceramics, stainless steel, stone, etc.

5 l container- P03430  
20 l container- P03420  
100 ml (10) - P03437  
50 ml (10) - P03441



Never use Progen in a dilution over 1% on floors treated with polymers.

### Proclean



Neutral all-purpose cleaner with light citrus fragrance. Viscous, very economical. Affects neither wax nor polymer films nor water-resistant paints. Kind to skin and materials.

For cleaning floors, bathtubs, washbasins, tiled walls, plastic and painted surfaces as well as for the maintenance cleaning of floors treated with self-shine dispersions.

5 l container - P03205  
100 ml (10) - P03207  
50 ml (10) - P03211




### Pro-inox



Ready-to-use abrasive liquid cleaner. Neither scratching nor corrosive. Lightly perfumed.

For the thorough and gentle removal of adhering soiling on all waterproof surfaces such as stainless steel, enamel, ceramics, porcelain, plastic, etc. in the kitchen and sanitary sectors.

750g - P03825  
7.5 kg - P03825



### Proscrub




A concentrated tile cleaner designed for cleaning porcelain tiled areas and all washable surfaces. Based on non-ionic and anionic surfactants.

Suitable for use in automatic scrubbers, mopping equipment, hand spray applications and manual cleaning where high foam is not required.

5 l container- P02155  
20 l container- P02150  
100 ml (10) - P02158

**SANS 1344**



Product	Description and uses	Availability	Notes
<b>Probuff</b>	<p>Spray emulsion containing wax. Removes water and solvent soluble soiling and scuff marks, especially marks made by heels. Forms a protective film which can be polished.</p> <p>For the cleaning and care of treated and untreated floor coverings such as PVC, linoleum, rubber, artificial and natural stone using the spray method. Suitable for normal and high speed methods.</p>	<p>5 l container- P05225 20 l container- P05220</p>	



**Protex**

Non-foaming, very efficient carpet extraction agent. Contains neither optical brighteners nor other aggressive components. Leaves behind a light and pleasant fragrance. For the effective cleaning of all textile coverings using the spray extraction method for cleaning with a carpet pad and for stain removal using the rinse method. Suitable for woolen and synthetic carpets.

## CARPET CLEANERS

5 l container- P04205  
20 l container- P04200



Do not soak the carpet. Consult the operating instructions of the Extravac machines.

## MAINTENANCE CLEANERS



**Protop**

Self-shining maintenance cleaner on a wax base. Forms a thin, anti-slip wax film that is removed again when wet-mopped. Repolishable.

5 l container- P05240



Sensitive to frost.

For the maintenance cleaning of all water-resistant floor coverings such as artificial stone, PVC, rubber, linoleum, etc.



**Proslip**

For the maintenance cleaning and care of treated and untreated floor coverings made of natural and artificial stone, rubber, PVC as well as for coverings in sports halls (polyurethane) and other water resistant materials.

5 l container- P05312



Dries quickly and free of streaks. A dilution of more than 200 ml/10 l produces a slip resistant film with a silky gloss. If necessary it can be polished acc. to the Ultraspeed method.

# PROTECTIVE PRODUCTS

## Product

## Description and uses

## Available Quantities

## Notes


### Proflor H



Hard, wear resistant polymer based self-shining dispersion. Forms a hard wearing, slip resistant protective film with a high gloss. Suitable for high and ultra speed polishing.

For the treatment of elastic floor coverings such as PVC, linoleum as well as slightly porous natural and artificial stone floor coverings in buildings with high frequency such as schools, administration buildings, shopping centres, etc.

5 l container- P07105  
20 l container- P07100



Sensitive to frost. Porous floor coverings have to be impregnated with Propore before the treatment.


### Proflor HD



Tough polymer based self-shining dispersion. Forms a wear resistant protective film with high gloss. Largely resistant to alcoholic hand disinfectants (only slight formation of stains). Suitable for high and ultra speed polishing.

For the treatment of elastic floor coverings such as PVC, linoleum as well as slightly porous natural and artificial stone floor coverings. Especially suitable for hospitals, homes, clinics, sanatoriums, doctor's practices and gymnasiums.

5 l container- P07205



Sensitive to frost. Porous floor coverings have to be impregnated with Propore before the treatment.


### Proflor HM



Matt polymer based self-shining dispersion. Forms a resistant easy care protective film with a silky matt gloss. Largely resistant to alcoholic hand disinfectants (only slight formation of stains).

For the treatment of elastic floor coverings such as PVC, linoleum as well as slightly porous natural and artificial stone floor coverings. Suitable for hospitals, administration buildings, schools, old age homes, etc.

5 l container- P07235



Sensitive to frost. As product contains matting agents, it must be shaken well before each use.

### Proflor R



Self-shining emulsion with high wax content. Forms a highly resilient, non-slip protective film which is easily repolishable. Suitable for the high-speed method.

For the treatment of elastic floor coverings as well as slightly porous artificial and natural stone floors in buildings where a good appearance must be achieved through periodic polishing, e.g. in administration offices, hospitals, banks, etc.

5 l container- P07505  
20 l container- P07500  
200 l - P07506



Sensitive to frost. Porous floor coverings have to be impregnated with Propore before the treatment.

### Profinish



Multifunctional self-shine dispersion for protection and care of stone floors using the ultra speed method. The product forms a shiny and slip resistant protective film which can be polished.

For the cleaning and care of stone floors such as marble, granite, terrazzo, etc. Also suitable for the treatment of elastic floor coverings.

5 l container- P07305  
20 l container- P07300



Sensitive to frost.

# PROTECTIVE PRODUCTS

## Product

## Description and uses

## Available Quantities

## Notes

### Polish



Self-shining liquid wax free of solvents. Forms a polishable, non-slip and water-proof protective film.

For the protective treatment of wood or wood imitation floor coverings such as sealed and unsealed parquet, cork, urphen, xyolith, etc.

5 l container- P07605



Sensitive to frost. Shake well before use.

## IMPREGNATION AND SEALING PRODUCTS


### Propore



Pure acrylic water-based emulsion sealer with excellent outdoor durability, resistance to water, whitening, efflorescence, alkalis, blistering and peeling.

For the basic impregnation of porous floor coverings. For natural and artificial stone, hard concrete, cement, magnesite, etc.

5 l container- P07805  
20 l container- P07800  
200 l - P07810



Sensitive to frost.